



iac-acoustics-thailand.com

Noise Lock Door[®]

ARCHITECTURAL HIGH PERFORMANCE
ACOUSTIC DOORS





Noise Lock Door®

HIGH PERFORMANCE
DOORSETS TO SUIT A WIDE
RANGE OF APPLICATIONS

IAC Acoustics is a global supplier of high- performance steel acoustic doors with over sixty years of experience in solving issues relating to noise isolation and containment. IAC offers a wide range of standard models, plus the ability to custom design and manufacture doors to suit specific applications.

Over one million Noise-Lock® acoustic door sets have been installed in industrial and commercial buildings throughout the world. Typical applications include hospitals, hotels, schools, offices, broadcasting studios, nightclubs, museums, test cells, laboratories, plant rooms, and power stations — in fact virtually any situation where sound must be contained within or excluded from a room or building.

making the world a quieter place

iac-acoustics-thailand.com



HIGH PERFORMANCE
DOORSETS TO SUIT A WIDE
RANGE OF APPLICATIONS

Engineered and Factory Assembled Advantages

IAC Acoustics produces an engineered system — factory assembled complete with a leaf, split-frame, seals, hinges and hardware. All doors are pre-hung for operational alignment, fit and finish before shipping. Noise-Lock® Doors are laboratory-tested for performance in both IAC R&D facilities and independent laboratories, further supported by installed site testing. IAC Acoustics is renowned for quality, durability and guarantees in-field performance.

making the world a quieter place

iac-acoustics-thailand.com

Noise-Lock® Range


- Single leaf
- Double leaf
- Fire rated
- Link
- Glazed
- Hatches

Features Available

- Blast / ballistic resistance
- Radio frequency shielding
- Electrical operation

Acoustic Performance

- STC-51/Rw50 to STC-64/Rw63



High Performance Features

IAC Acoustics' features high-performance functionality including:

- Self-aligning magnetic seals assure long life and high field performance, even under constant use
- Cam-lift hinges lower and seal the door to the floor eliminating the high-maintenance of automatic drop seals
- Split frames eliminate in-field grouting to achieve the specified acoustic performance and provide quick and clean installation times

Complementary Products

In addition to doors, IAC Acoustics offers a range of other components that integrate seamlessly to form larger and more complex noise control systems. These products include Moduline™, IAC's modular acoustic construction panel system, Noise-Lock® acoustic windows, TrackWall™, a movable partition system and VisionWall™, a range of large-sized acoustic exterior windows.

Acoustic Performance

Door Model	Acoustic Rating				Leaf Thickness	Octave Band Centre Frequency								Weight
	Rw	R'w	STC	NIC		63	125	250	500	1k	2k	4k	8k	
						Sound Transmission Loss, dB								
For acoustic performance <50dB, please see IAC Acoustics' range of Noishield Doors														
Noise-Lock® D-50	50	45	51	46	64mm / 2½"	22	26	46	50	52	52	58	51	44kg/m² 9lb/ft²
Noise-Lock® D-52	52	47	53	48	64mm / 2½"	23	30	47	52	54	52	57	55	54kg/m² 11lb/ft²
Noise-Lock® D-53	53	48	54	49	89mm / 3½"	23	32	52	53	53	52	62	≥62	78kg/m² 16lb/ft²
Noise-Lock® D-59	59	54	61	56	89mm / 3½"	-	33	54	58	60	62	69	-	80kg/m² 16lb/ft²
Noise-Lock® D-63	63	58	64	59	127mm / 5"	-	40	56	61	64	66	70	-	88kg/m² 18lb/ft²

Performance and Flexibility

IAC Acoustics offers a comprehensive range of products designed for architectural, industrial and security applications. IAC Acoustics' Noise-Lock® doors feature:

- Performance ratings from STC-51/Rw50 to more than STC-64/Rw63
- Design flexibility with all doors available in standard and custom sizes or designs
- Multiple sized options of Vision Panels, supported with laboratory test data
- Wood veneer (US) and digital print (Europe) finish options
- High-performance doors for both architectural and industrial applications
- UL, BS and EN fire ratings available
- Blast-resistance ratings up to 3psi
- Radio frequency shielding up to 100dB
- Security rated SCIF that meets ICD 705, JAFAN 6/9 and TEMPEST requirements
- ADA [US] & DDA [UK] compliance
- Industry leading fabrication times and quick-ship programs



IAC Acoustics Thailand Co., Ltd.

6/54-56, Thanon Poemsin Soi 42,

Ongern - Sai Mai Bangkok 10220 Thailand

Ph: (+66) 02-1012827 | Email: info@iac-acoustics-thailand.com

iac-acoustics-thailand.com

IAC has worldwide offices and manufacturing plants in the UK, Australia, Canada, China, Malaysia, Indonesia, Thailand, Philippines Denmark, France, Germany, Italy, Spain, UAE - Dubai, USA Houston, USA Lincoln, USA - New York.

